

CStick-LED


The next generation of LED Customization



CHOOSE DESIGN
CHOOSE LIGHT OUTPUT
CHOOSE LENGTH

Hera[®]
Light Years Ahead.

CStick-LED




FULLY CUSTOMIZABLE LED

- CHOOSE DESIGN
- CHOOSE LIGHT OUTPUT
- CHOOSE LENGTH

The new CStick-LED is the next generation of LED customization. Optimal for projects with unique design and budget requirements. CStick-LED is designed to be flexible, most affordable and to raise the bar in quality. Finally, a linear LED that caters to your specs, without compromising quality or price.

Product-Features


- Can be special ordered in pre-cut lengths with soldered power cord
- Can be ordered pre-assembled with extrusion and frosted lens
- Available in three densities:
 - 320 - 125 lm/W
 - 640 - 125 lm/W
 - 1280 - 126 lm/W
- Stocked in 3000 K, 4000 K, and 6500 K
- Available in additional color temperatures, by special order
- 50,000 hours useable life
- Excellent CRI > 90
- To be used with 24 Vdc Constant Voltage Driver



U-CHANNEL





45°



WINGED





6 EASY STEPS TO YOUR CUSTOM C-STICK-LED

**STEP 1
PICK YOUR LIGHT OUTPUT**

Description	Watt/Foot	Light Output
320	1.45	184 Lm/ft.
640	3.22	379 Lm/ft.
1280	6.52	762 Lm/ft.

**STEP 2
PICK YOUR COLOR TEMPERATURE**

Options
3000 K
4000 K
6500 K

**STEP 3
SPECIFY YOUR LIGHT FIXTURE LENGTH**

Length	In Inches

**STEP 4
PICK YOUR EXTRUSION**

Options
U-Channel
45°
Winged

**STEP 5
SPECIFY YOUR CABLE LENGTH**

Options	Length
Power Cord (Input)	
Connecting Cable - Output (Optional)	

**STEP 6
PICK YOUR DRIVER**

Options	Product Code
30 Watt Daisy	PS24V/30/S/D
75 Watt Daisy	PS24V/75/S/D
96 Watt Daisy	PS24V/96/DIM/S/D

ADDITIONAL CUSTOMIZATION

Your sales rep will discuss additional options, such as Lenses, Interconnecting Cables, and End Caps.

Hera[®]

Hera Lighting L.P
3025 Business Park Drive
Norcross, GA 30071

Telephone (770) 409-8558
Telefax (770) 409-8531
Toll free (800) 336-4372

www.heralighting.com

Subject to technical changes without prior notice. Position as per 12/2018



[/HERALIGHTING](#)



[/HERALIGHTING](#)



[/HERALIGHTING](#)



[/HERALIGHTINGLP](#)